

Service Manual Trucks

Group **37**


Electrical Schematic:
Eaton Top 2 Transmission
with Detroit Diesel Engine
VNL, VNM

From Build Date 2.98




BATTERY 12 VOLT
IGNITION 12 VOLT
ACCESSORY 12 VOLT

802



D565 D563



D563 D565 802

802



802

Eaton Top 2 Transmission with Detroit Diesel Engine - VNL, VNM

SION
UNIT

CONNECTOR AND SPLICE INFORMATION
CONNECTORS VIEWED FROM CABLE ENTRY



CONNECTOR 1
ENGINE ECU SENSOR HARNESS

TABLE OF CONTENTS		
CAVITY	CIRCUIT	FUNCTION
A	D563	LOCKOUT SOLENOID
C	D565	SHIFT SOLENOID




CONNECTOR 2
TRANSMISSION CONTROL

TABLE OF CONTENTS		
CAVITY	CIRCUIT	FUNCTION
A	D563	LOCKOUT SOLENOID
B	802	+12V SUPPLY
C	D565	SHIFT SOLENOID



CONNECTOR 3
INLINE FUSE HOLDER

TABLE OF CONTENTS		
CAVITY	CIRCUIT	FUNCTION
A	802	+12V SUPPLY
B	802	+12V SUPPLY




V370573
Schematic #3972339.02

CHAN

EFFECTIVE DATE
DESCRIPTION

V200089



1000
NTROL

[illegible]